

PRODUCT CATALOG

ALUMINUM ALLOY SKIRTING

- HIGH DURABILITY
- CORROSION RESISTANCE
- WATER RESISTANCE

RUUP ARCHITECTURAL PRODUCTS TABLE OF CONTENTS

01	MINIMALIST SKIRTING	02	LIGHT LUXURY BUCKLE SKIRTING
03	LIGHT LUXURY BUCKLE SKIRTING LINE	04	QUICK INSTALLATION HANGING SKIRTING
05	MAGNETIC SUCTION SKIRTING	06	STAINLESS STEEL SKIRTING
07	CARD DEDUCTION SKIRTING	08	BUCKLE LIGHT WITH PATTERN SKIRTING
09	MAGNETIC SUCTION SKIRTING	10	STAINLESS STEEL SKIRTING
11	CARD DEDUCTION SKIRTING	12	BUCKLE LIGHT WITH PATTERN SKIRTING
13	EMBEDDED LIGHT STRIP SKIRTING	14	SKIRTING LINE OF SURFACE MOUNTED LAMP
15	CURVED LAMP SKIRTING	16	EMBEDDED SKIRTING
17	ALUMINUM ALLOY F-GROOVE		

Company Profile

Founded in 2020, Ruup Architectural Products emerged as a beacon of innovation in the architectural industry. The company's inception marked a significant milestone, driven by a collective vision of its founders who brought diverse expertise in construction, sales, and management to the table.

In its early days, Ruup navigated the unique challenges of a global landscape undergoing unprecedented changes. Undeterred, the company embraced the spirit of adaptability and resilience, leveraging its founders' experience to carve a niche in the competitive architectural products market.

From its humble beginnings, Ruup Architectural Products swiftly gained recognition for its commitment to cutting-edge design, functionality, and sustainability. The founders' dedication to pushing boundaries and redefining industry norms propelled Ruup into the forefront of innovation.

Over the years, Ruup's product portfolio expanded, introducing a diverse range of architectural solutions that captured the essence of contemporary design. The company's emphasis on customization, quality, and customer satisfaction became its hallmark, fostering strong relationships with clients and collaborators alike.

As Ruup ventured into new markets, including the launch of its product distribution channel in Edmonton, AB, the company continued to evolve. Strategic partnerships, technological integration, and a focus on sustainable practices further solidified Ruup's position as a forward-thinking industry player.

Despite the challenges and uncertainties that characterized the early years, Ruup Architectural Products' journey from 2020 reflects a story of growth, resilience, and a relentless pursuit of excellence. Today, Ruup stands as a testament to the transformative power of vision and determination, shaping the architectural landscape with innovative solutions that embody the spirit of a new era.

BUSINESS DISTRIBUTION

Founded in 2020, Ruup Architectural Products is a Canadian company that emerged as a beacon of innovation in the architectural industry. The company's inception marked a significant milestone, driven by a collective vision of its founders who brought diverse expertise in construction, sales, and management to the table.

RUPP Architectural Products takes pride in its extensive business distribution network, offering a diverse range of premium tiles, wood panels, metal decors, and more to customers across the United States, Canada, and Mexico. Our commitment to quality and innovation is seamlessly delivered to clients through strategic partnerships with distributors, retailers, and construction professionals. With a strong presence in these North American markets, RUPP ensures that our architectural products are easily accessible to architects, designers, and builders, enabling them to create stunning spaces with our high-quality materials. As we continue to expand our footprint, we are dedicated to providing unparalleled service and reliable solutions, making RUPP Architectural Products the preferred choice for those seeking excellence in architectural elements.



NORTH AMERICA

CANADA

1


USA

2

MEXICO

3


Kickline Collection - Minimalist




Scene display




Front installation diagram







Schematic diagram of reverse installation



Accessorie display
(4cm/6cm/8cm/10cm)



Minimalist skirting line specification table				
spec.	FLL-A-2-A4	FLL-A-2-A6	FLL-A-2-A8	FLL-A-2-A10
Plain View .				
spec.	2.5m/Branch		THK	4cm: 1.0mm 5-8cm: 1.1mm 10cm: 1.2-1.3mm
Colour	Athens Black, Gentleman Grey, Dark Grey, Shiny White, Rose Gold, Matte Silver Iron Grey, Apple Gold, Matte Champagne, Warm White			

Color display



Athens Black
40/60/80/100mm

Dark Grey
40/60/80/100mm



Gentleman Grey
40/60/80/100mm

Apple Gold
40/60/80/100mm

Matte Silver
40/60/80/100mm



Shiny White
40/60/80/100mm

Rose Gold
40/60/80/100mm


Matte Champagne
40/60/80/100mm

Warm White
40/60/80mm

Skirting Line Series - Light Luxury Card Deduction - Floor Base



Front installation diagram



Accessorie display
(4.6cm/6cm/8cm)



Single base



Whole base (2m/piece)
(2m)

FLL-A-2-A8 配扣

FLL-A-2-A6



Left plug



Inside corner






Outer corner



Intermediate junction



Right plug

Specification table for light luxury buckle skirting line			
spec.	FLL-A-5-A4.6	FLL-A-5-A6	FLL-A-5-A8
Plain View .			
spec.	skirting line 2.5m/Branch base 2m/Branch 2.5 m 2 m		
Colour	Night Sky Black, Soft Light White, Starry Grey, Light Luxury Champagne, Light Luxury Brass, Light Luxury Rose, Light Luxury Iron Grey, Light Luxury Matte Silver, Light Luxury Warm White		
MATL	Aluminum alloy		



Night Sky Black
46/60/80mm



Soft Light White
46/60/80mm



Starry Grey
46/60/80mm



Light luxury
light grey
46/60/80mm



Light luxury
champagne
46/60/80mm



light luxury brass
46/60/80mm



Light Luxury Rose
46/60/80mm



Light Luxury
Iron Grey
46/60/80mm



Light Luxury
Matte Silver
46/60/80mm




Light Luxury
Warm White
60mm

Skirting line series - high-end hanging skirting line





Front installation diagram



Accessorie display

(4cm/6cm/8cm)



High end hanging skirting line specification table			
spec.	FLL-A-10-A4	FLL-A-10-A6	FLL-A-10-A8
Plain View			
spec.	skirting line 2.5m/Branch base 2m/Branch		
Colour	Pearl Black, Milan Grey, Ivory White, Mica Grey, Amber Gold, Champagne Gold		
MATL	Aluminum alloy		

Color display




Pearl Black
40/60/80mm



Milan Grey
40/60/80mm



Ivory White
40/60/80mm



Mica Grey
40/60/80mm



Amber Gold
40/60/80mm




Champagne Gold
40/60/80mm

Skirting Line Series - Quick Install Hanging Skirting Line




Front installation diagram



Accessorie display

(4cm/6cm/8cm)



Quick installation hanging skirting line specification table			
spec.	FLL-A-13-A4	FLL-A-13-A6	FLL-A-13-A8
Plain View .			
spec.	skirting line 2.5m/Branch base 2m/Branch		
Colour	Black skin, light gray skin, dark gray skin, white skin, champagne skin, iron gray skin		
MATL	Aluminum alloy		

Color display



Black skin
40/60/80mm



light gray skin
40/60/80mm



white skin
40/60/80mm



Dark gray skin
40/60/80mm



champagne skin
40/60/80mm





Iron gray skin
40/60/80mm

Skirting line series - magnetic suction style




Front installation diagram



Skirting line series - magnetic suction model (with aluminum base)






Front installation diagram



Accessorie display

(4cm/6cm/8cm)

	Inside corner	Outer corner	
	FLL-A-11-A6	FLL-A-11-A6	
Aluminum alloy base	Intermediate junction	Left plug	Right plug
(4/6/8cm not applicable不)FLL-A-11-A6	FLL-A-11-A6	FLL-A-11-A6	FLL-A-11-A6

Magnetic suction skirting line specification table					
spec.	FLL-A-11-A4		FLL-A-11-A6		FLL-A-11-A8
Plain View .					
spec.	2.5m/Branch		Thickness	1.4mm	
Colour	Legend Black, Light Gauze Grey, Linghua White, Quicksand Gold, Green Champagne, Whale Grey				
Base	Magnetic suction base, aluminum alloy buckle base				

Color display



Legend Black
40/60/80mm



Quicksand Gold
40/60/80mm



Whale Grey
40/60/80mm



Light Gauze Grey
40/60/80mm




Linghua White
40/60/80mm



Green Champagne
40/60/80mm

Skirting Line Series - Stainless Steel Skirting Line




Front installation diagram



CNC Accessorie display

CNC (6cm/8cm)



Internal and external corners (general)

Intermediate junction

Left and right block (universal)

Base

FLL-A-10-A6

FLL-A-10-A6

FLL-A-10-A6

FLL-A-10-A6

(4cm/6cm/8cm)



Inside corner

Outer corner

Intermediate junction

Left plug

Right plug




FLL-A-10-A6 配阴

FLL-A-10-A6 配阳


FLL-A-10-A6 配中

FLL-A-10-A6 配左

FLL-A-10-A6 配右

Specification table for stainless steel skirting line			
spec.	FLL-A-10-A4	FLL-A-10-A6	FLL-A-10-A8
Plain View .			
spec.	2.44m/Branch (
Colour	Black titanium wire drawing, bright silver wire drawing, titanium gold wire drawing, rose gold wire drawing, antique bronze wire drawing		
Bottom buckle material	304 stainless steel 304不		

Color display



Black titanium wire drawing
40/60/80mm

Rose gold wire drawing
40/60/80mm



Titanium gold
wire drawing
60/80mm


Bright silver
wire drawing
60/80mm

Antique bronze
wire drawing
60/80mm

Skirting line series - card deduction classic series



Front installation diagram



Accessorie display

(4cm/5cm/6cm/8cm/10cm)



Left plug Outer corner Intermediate junction Inside corner Bottom buckle

FLL-A-1-A6 FLL-A-1-A6 FLL-A-1-A6 FLL-A-1-A6 FLL-A-1-A6

Scene display



Black titanium
wire drawing
4/5/6/8/10cm



Titanium wire drawing
5cm



Rose gold wire drawing
5/6/8/10cm



Champagne Brushed
5/6/8/10cm



Bright silver
wire drawing
5/6/8/10cm



Iron gray
wire drawing
5/6/8/10cm



Sand grain black
4/5/6/8/10cm



Grizzly gray
4/5/6/8/10cm








Bright White
5/6/8/10cm



Blue antique copper
wire drawing
6cm

Card deduction skirting line specification table

Note: The skirting line has gradually been updated to a nail shaped foot

model	Plain View .	spec.	Thick/mm	Colour
FLL-A-1-A4		2.5m/Branch	0.6	Black titanium wire drawing, sanded black, sanded gray
FLL-A-1-A5		2.5m/Branch	0.6/0.8/1.0	Black Qin wire drawing, Champagne wire drawing, Rose gold wire drawing, Bright silver wire drawing, Iron gray wire drawing, Titanium gold wire drawing, Sand black, Sand gray, Bright white
FLL-A-1-A6		2.5m/Branch	0.6/0.8	Black titanium wire drawing, champagne wire drawing, shiny silver wire drawing, iron gray wire drawing, rose gold wire drawing, sanded black, sanded gray, shiny white, and antique bronze wire drawing
FLL-A-1-A8		2.5m/Branch	0.7/1.0	Black titanium wire drawing, champagne wire drawing, shiny silver wire drawing, iron gray wire drawing, rose gold wire drawing, sanded black, sanded gray, and shiny white
FLL-A-1-A10		2.5m/Branch	0.8	Black titanium wire drawing, champagne wire drawing, shiny silver wire drawing, iron gray wire drawing, rose gold wire drawing, sanded black, sanded gray, and shiny white

Skirting line series - buckle light belt style





Front installation diagram



Accessorie display (8cm)



Specification table for buckle light with pattern skirting line			
Plain View .			
Model	FLL-A-3-A8	spec.	2.5m/Branch
Colour	Black titanium wire drawing, rose gold wire drawing	Iron gray wire drawing	

Color display



Black titanium
wire drawing
80mm



Rose gold
wire drawing
80mm



Iron gray
wire drawing
80mm

Skirting line series -5cm buckle light belt model



Front installation diagram



Accessorie display (5cm)




Left plug
FLL-A-7-A5 配左

Outer corner
FLL-A-7-A5 配阳


Intermediate junction
FLL-A-7-A5 配中

Inside corner
FLL-A-7-A5 配阴

Right plug
FLL-A-7-A5 配右

Specification table for buckle light with pattern skirting line			
Plain View .			
Model	FLL-A-7-A5	spec.	2.5m/Branch
Colour	Sand Black, Sand Grey, Yashi White		

Color display



Sand Black
50mm



Sand Grey
50mm



Yashi White
50mm

Skirting line series - embedded light with style



Accessorie display (4cm/6.5cm)



Left plug

FLL-A-8-A4



Outer corner

FLL-A-8-A4




Right plug

FLL-A-8-A4



No need for
intermediate
connection



Specification table for embedded light strip skirting line				
Model	FLL-A-8-A4-12	FLL-A-8-A6.5-12	FLL-A-8-A4-9	FLL-A-8-A6.5-9
Plain View .				
Colour	Black, Aurora Grey, Porcelain White, Matte Gold			
spec.	2.5m/Branch			

Color display



Black
40mm

Aurora Grey
40mm

Porcelain White
40mm

Matte Gold
40mm



Black
65mm

Aurora Grey
65mm

Porcelain White
65mm

Matte Gold
65mm

Color display



Black
40mm

Aurora Grey
40mm

Porcelain White
40mm

Matte Gold
40mm



Black
65mm

Aurora Grey
65mm

Porcelain White
65mm

Matte Gold
65mm

Skirting Line Series - Surface Mounted Light with Style



Accessorie display (5cm/8cm)



FLL-A-9-A5




Outer corner

FLL-A-9-A5



Inside corner

FLL-A-9-A5



No need for
intermediate
connection

Specification Table for Skirting Line of Surface Mounted Lamp		
Model	FLL-A-9-A5	FLL-A-9-A8
Plain View .		
Colour	Black, Aurora Grey, Porcelain White, Matte Gold	
spec.	2.5m/Branch	

Color display



Black
50mm



Aurora Grey
50mm



Porcelain White
50mm



Matte Gold
50mm



Black
80mm



Aurora Grey
80mm



Porcelain White
80mm




Matte Gold
80mm

Color display



Black
50mm



Aurora Grey
50mm




Porcelain White
50mm



Matte Gold
50mm



Black
80mm



Aurora Grey
80mm



Porcelain White
80mm




Matte Gold
80mm

Skirting line series - curved light strip style




Installation effect diagram





Schematic diagram of lighting effect



Accessorie display (6cm/8cm)



Specification Table for Curved Lamp Skirting Line with Pattern		
Model	FLL-A-12-A6	FLL-A-12-A8
Plain View		
spec.	2.5m/Branch	
Colour	Porcelain swimming black, porcelain swimming gray	

Color display



Porcelain swimming black
60/80mm



porcelain swimming gray
60/80mm




Porcelain swimming black - lighting effect
60/80mm




Porcelain swimming gray - lighting effect
60/80mm

Skirting Line Series - Embedded Skirting Line




Display of skirting line specifications



Scene display



Front installation diagram



Accessorie display (3cm)







3cm/5cm

Note: Only 3cm/5cm of this model comes with accessories



Accessorie display (5cm)



Embedded skirting line specification table			
Model	FLL-A-4-A8	FLL-A-4-A5	FLL-A-4-A3
Plain View .			
Colour	Matte black, iron gray	Matte black, Weifa gold, Iron gray	
spec.	2.5m/Branch		
Model	FLL-A-4-A2.5	FLL-A-4-A2	FLL-A-4-A2
Plain View .			
Colour	Matte Black, Weifa gold	Matte black, iron gray	Weifa gold
spec.	3m/Branch		

Color display



Iron ash

(without accessories)

80mm

Iron ash

50mm

Iron ash

30mm

Iron ash

(without accessories)

20mm



Hoarse black

(without accessories)

80mm

Hoarse black

50mm

Hoarse black

30mm

Hoarse black

(without accessories)

25mm

Hoarse black

(without accessories)

20mm



Weifa gold

50mm

Weifa gold

30mm

Weifa gold

(without accessories)


25mm

Weifa gold

(without accessories)

20mm

F-type aluminum groove




Bathroom wall installation display


Bathroom floor installation display



Flush transition construction method



Construction method of sunken shower room



Edge Strip Series - F Slot - Installation Diagram



Install using nail free adhesive according to the following steps


1



1. Place the F-shaped card slot




2



2. Apply adhesive



3



3. Laying ceramic tiles




4



4. Cover the glass with adhesive tape



5



5. Glue and treat gaps in the glass insertion slot





6



6. Installation completed





Color display



Black/Silver
35x15x12.7mm

Black/Silver
35x15x10.6mm





Black/Silver
35x15x14.7mm

Black/Silver
35x15x12.7mm



黑色/

Color display











Black/Silver
40x20x12.7mm

Black/Silver
40x20x10.6mm



Black/Silver
40x20x14.7mm

Black/Silver
40x20x12.7mm

Specification Table for Aluminum Alloy F-groove		Specification table for aluminum alloy F-shaped groove (including explosion-proof rubber pad)		
Model				
Plain View	FLL-B-35x15x12.7	FLL-B-35x15x14.7	FLL-B-35x15x10.6	FLL-B-35x15x12.7
				
	FLL-B-40x20x12.7	FLL-B-40x20x14.7	FLL-B-40x20x10.6	FLL-B-40x20x12.7
				
Colour	Black/Silver		Black/Silver	
spec.	3m/Branch		3m/Branch	